



-  _____
 -  _____
 -  _____
-  _____
 _____
-  _____
-  _____



[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

--	--	--	--	--	--	--	--	--

[illegible][illegible]

- 


- 



- 




[illegible]

●  : 


- $\square\square : \square$ 14 $\square$ 16

(3)

●  :





A grid of 100 small squares arranged in 4 rows. The first three rows are full (25 squares each), and the fourth row is partially filled with 10 squares.

--	--

[illegible]

A horizontal number line with 20 equal intervals, labeled from 0 to 20.

[illegible]

○

β

[illegible]

○ 

- 




6.



-  :
 - \$DEC2\$
 


-  :
 - 

-  :
 - 



7.



- ①  :
 - 


 - ②  :
- S



1.



(1)

-  : 
-  :


-  :



[illegible]

-  : 
-  :


-  :



③ GABA

-  :
- 
- 
-  : 
- 
-  :
- 
- 

GABA

[illegible]

-  : 
-  : 

-  : 




OTC

[illegible]

-

-  :
- 


3.




-  :
- 
 14 16
-  :
- 
 4 6   4 6

-  :
-  :


-  :


-  :


-  :


-  :
- 



-  :
-  PC


-  :

[illegible][illegible]

1

[illegible][illegible][illegible]

--	--	--	--	--	--

[illegible][illegible][illegible][illegible]

- ① 
 - 


 - ② 
 - 

 - ③ 
 - 

 - ④ 
 - 


 - ⑤ 
 - 


 - ⑥ 
 - 


2.

-  :


-  :


-  : □ 2



3.

--	--	--	--	--	--

- ① 
- 
- 
- ② 
- 
- 
- ③ 
-  10
- 
- 

4.

--	--	--	--	--	--	--

[illegible]

1.

--	--	--	--

TCA

[illegible]

1.

--	--	--	--	--	--

 /

--	--	--	--	--	--

- [illegible]

UP :

2.

--	--	--	--

 B

--	--	--	--

 B1

--

 B2

--

 B6

--

 B12

--

-  :
- 
 - 
 -  **B1:**  ATP
 - 
 - 
 -  **B2:** 

- [illegible]

- B12:**

- Page 10 of 10

- B1:**

- B2:**

- B6:**

- B12:**

--	--	--	--

- | | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

- 

- | | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
|--|--|--|--|--|--|--|

- ☐ 

- [illegible]

[illegible]

- | | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

- ☐ _____

- | | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

- □ □ ■ ■

- [illegible]

-  : 

--	--	--	--	--	--	--

- [illegible]

- 300

- | | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
|--|--|--|--|--|--|--|

ATP

-

3.

- :

B1

 ATP
- :

 C
- :

 D

 B

- - :
- - :
- **E**

 - :

E

 B3

-

[illegible]

--	--

1.

--	--	--	--	--	--	--

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

①

-  :
hPa

- [illegible]

[illegible]

- 

-  :
- 
- 

[illegible]

and

[illegible]

--	--	--	--

③

--	--	--	--	--	--	--	--	--

Neurogenic Inflammation□□□□

- □ □ □ □ □ :

[illegible]

- : CGRP

P

Neurogenic Inflammation

[illegible]

--	--	--	--	--

④

- | | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

 :

[illegible]

- | | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

 ■ ■

[illegible][illegible][illegible][illegible]

⑤

[illegible]

- | | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

 :

[illegible]

- | | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

 :

[illegible][illegible][illegible]

[illegible]

①

\$dP/dt\$

- Figure 1 consists of two bar charts, (a) and (b), illustrating the effect of sample size on the distribution of sample means. Both charts have a y-axis labeled 'Frequency' and an x-axis labeled 'Sample Mean'.

Chart (a) shows the distribution of sample means for a sample size of $n=5$. The distribution is skewed to the right, with a peak at the lower end of the sample mean range. The x-axis ranges from 10 to 40, and the y-axis ranges from 0 to 10.

Chart (b) shows the distribution of sample means for a sample size of $n=25$. The distribution is more symmetric and bell-shaped, centered around a sample mean of approximately 25. The x-axis ranges from 10 to 40, and the y-axis ranges from 0 to 10.

dP/dt

(2)

-

(3)

-  :
- 
- 
-  :
- 
- 
- 
- 

4.

[illegible]

